How to proceed to a Query in ELAN

Define a Domain

- A domain is basically a folder you define where you put the files you need to apply querries
- How to deal with

	00	Rechercher fichier eaf	gnizer
	Domain: 4 eaf files Query History:	Substring Search Single Layer Search Multiple Layer Search Define Domain	
	Mode: Annotation	New Domain New Domain New Domain from IMDI Search substring match Select an existing domain ame Loc right Time M essai 11Langues de signes Negation MAD French partiel au 20 avril 2015 3 3	· · · 50
ose a d	domain	Supprimer Load	

• Choose your files or choose a domain already defined.

Make a Query or Load one

 The domain is selected, choose the structured search Multiple eaf » (1)
 Select the single Layer Search »
 Or Multiple Layers Search » (2)
 Make your Query (3) or load it (4)

3

- Then select « find » You can make your query on type or on tier !! Watch out !
- Save your Query (5)

iery	/ 0	I LO	79(16		
	Туре	Search	View	Options	Window	Help	
eaf » (1)		Find a Search FASTS	Multip earch	lace in Mul le eaf	tiple Files ple eaf	策F ①策F C①策F	
	Turne Coore	Go To.	Window U			ЖG	
	00	Subst	tring Search	Search eaf files	ultiple Layer Search		91
	Domain:		and Search 3	ingie Layer Search W	(Define Domain	
	Query H	istory: <		Loaded 6 Queries	Save query	Load query	
	Mode:	Annotation	\$	case insensitive	\$ substring	match 🛟	
:+ (1)	Find				All Tiers	;	
it (4)	Found 0	hits in 0 annotations (of	f 0)			Cancel	
	<			Save hits			-5
00			Sea	rch eaf files			
		Substring Searc	ch Single L	ayer Search Mul	tiple Layer Search		
Domain: 4	eaf files					Define Doma	ain 4
Query His	story: (Load	ed 6 Queries	Save query	Load que	
Mode:	Annotation		•	ase insensitive	\$ substrir	ng match	:
Find	pres				Tier Type: Tim	e Meaning	¢
Found 0 hi	ts in 0 annota	tions (of 0)				Cano	:el

1

Save your Results

- After found your hits, you can save them in a .csv file (1)
- Select the buttons (let them all) (2)

0 0	Search eaf files
	Substring Search Single Layer Search Multiple Layer Search
Domain: 4 eaf file	Define Domain
Query History	Image: New Query Save query Load query
Mode: Annota	ation Case insensitive Case insensitive
Find po	AUX Tier Type: Tense forms (french)
Found 128 hits in	128 annotations (of 5942) Ready Cancel
	Hit 1 - 21 of 128 Save hits
	pres pcAUX pcPART impf pres
	impf pres pres pcAUX pcPART pres pres
	pres pres condPRES pcAUX pcPART impf impfAUX
	pres pres pres pcAUX pcPART pcAUX pcPART
	pres pcAUX pcPART pcAUX pcPART impf pcAUX
	pcAUX pcPART impf pcAUX pcPART pres pres impf pres pres pcAUX pcPART impf pres
	impf pres pres perAUX pcPART pcAUX pcPART

1

$\bigcirc \bigcirc \bigcirc \bigcirc$	Export options
Export options	
Separate hit count per hit value	
🗹 Include file name column	
Include file path column	
Time format:	2
💿 ms	
🔘 sec.ms	
Select and order columns	
Anno HitPo HitLe HitNu Anno Annot A	Anno HitPo TierN TierT TierP TierA LeftC Right Trans V V V V V V V V V V V V V V V V V V V
	ОК

Open the results in excel or open office

• In order to open the .csv with Openoffice, select just (Tab) as separator

- Have in mind to save your file as .xls.
- Then you can filter in excel.

mpoi	rter				ОК
Jeu de caractères Unicode (UTF-8)					
Lan	gue	Par défaut – Français (Fran		•	Annule
Àр	artir de la ligne	1			Aide
Optio	ns de séparateur				
0	Largeur fixe				
•	Séparé par				
Z	🗹 Tabulation	Uirgule	🗌 Autr	res	
	Point-virgule	Espace			
	Fusionner les	séparateurs	Séparateur	r de texte	
utre	s options				
		llemets comme texte			
	Détecter les nom				
		breb speekak			
ham.					
Typ	e de colonne	* *			
	Standard	Standard	Standard	Standard n	
	"Annotation"	HitPositionInAnnotation	HitLength	HitNumberInAnnotat:	
				-	
2		1	4	1	
2	pres			1	
2 3 4	pres	1	4	~	
2 3 4 5	pres pres	1	4	1	
2 3 4 5 6	pres pres pres	1	4	1	
2 3 4 5 6 7	pres pres	1	4	1	